The International Electronic Journal of Rural and Remote Health Research, Education, Practice and Policy

MEDLINE listed

PROJECT REPORT

Rural health roundtables: a strategy for collaborative engagement in and between rural communities

CL Pennel, SL Carpender, BJ Quiram

Texas A&M Health Science Center School of Rural Public Health, College Station, Texas, USA

Submitted: 5 August 2008; Resubmitted: 6 November 2008; Published: 18 November 2008

Pennel CL, Carpender SL, Quiram BJ

Rural health roundtables: a strategy for collaborative engagement in and between rural communities Rural and Remote Health 8: 1054. (Online), 2008

Available from: http://www.rrh.org.au

ABSTRACT

Introduction: The lack of formal public health infrastructure and trained health professionals in rural areas has a deleterious impact on rural populations for various health issues. The purpose of this article is to: (1) suggest a strategy regularly used by the authors that encourages relationship building and serves as a catalyst for rural communities to work together to initiate and make changes based on the local assets and dynamics; (2) provide a descriptive overview of this strategy; and (3) provide an illustrative case, using the Rural Ready Communities project, in which this strategy has been used.

Methods: The Rural Health Roundtable strategy includes identifying relevant topics and stakeholders; using specific methods to ensure stakeholder attendance; creating an informal, social environment where participants feel comfortable sharing; utilizing targeted questions to engage participants and empower local ownership; and following up with the participants through communication and evaluation.

Results: The Rural Health Roundtable strategy can result in short-term, intermediate and long-term outcomes using various evaluation tools and methods.

Conclusions: The Rural Health Roundtable strategy has demonstrated its value as an effective tool in working with rural communities. With fewer human and financial resources at their disposal, this strategy can aid rural communities in identifying and

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy



utilizing their unique strengths to overcome resource deficits when responding to public health emergencies and natural disasters. Initiated in 1999, the methodology has been refined and enhanced over the past 8 years to more effectively reach stakeholders, ensure attendance and participation, promote sharing and discussions, build stakeholder networks and encourage continued communication and collaboration. The Rural Health Roundtable strategy has significant potential for replication and application to all areas of rural public health.

Key words: capacity building, community networks, emergency planning, public health system, USA.

Introduction

There has been sufficient documentation to establish that the public health infrastructure in the USA is deteriorating throughout all geographic regions. Healthy People 2010 identifies public health infrastructure (Focus Area 23) as one of 28 necessary focus areas to achieve the two overarching HP 2010 goals, to: (i) increase quality and years of healthy life; and (ii) eliminate health disparities¹. While there has been a fair amount of research and discussion about general public health infrastructure issues, little attention has been given to the rural dimensions of this topic². The special issues and considerations of rural communities are often overlooked or underestimated.


The vast majority of the USA is rural. According to 2000 US Census data, 2292 counties (72.9%) out of a total of 3141 counties within the USA are designated as rural³. Eighty-three percent of the nation's land is in a rural area; 25% of the nation's population resides in a rural area. Rural communities confront challenges and limitations not faced by urban communities that affect the manner in which they are able to prevent, serve and respond to public health needs. A large number of these rural areas lack adequate health resources and are designated as health professional shortage areas (HPSAs) and/ or medically underserved areas (MUAs).

According to the landmark Institute of Medicine report⁴, 'no citizen from any community, no matter how small or remote should be without identifiable and realistic access to the

benefits of public health protection...' (p.144-5). However, rural citizens experience significant health disparities⁵. Rural communities face geographical, personnel, infrastructure, and funding challenges and many have no formal public health or healthcare infrastructure. Local health departments, where they do exist, have less capacity and fewer resources. According to Hajat, Stewart, and Hayes, a greater proportion of rural local public health agencies (72%) list budget restrictions as a barrier to obtaining needed staff, and a higher percentage (29%) of rural respondents indicate difficulty in attracting candidates to their geographic, area compared with metropolitan Local Public Health Agencies (LPHAs) and suburban LPHAs⁶. The challenge of maintaining, let alone strengthening, a public health workforce is greater in rural areas than urban centers because of a variety of issues including location, educational opportunities, and financial constraints that impact on recruitment and retention of personnel^{7,8}. Further, the public health workforce in rural and urban areas is aging and retiring, but this is particularly so for public health nurses who provide the majority of care in rural areas⁹. This lack of formal public health infrastructure and trained public health professionals has a deleterious impact on rural populations.

Public health systems are defined as 'a complex network of individuals and organizations that have the potential to play critical roles in creating the conditions for health'¹⁰ (p.28). Historically, rural communities have had to supplement public health services with the broader public health system, such as community health centers, rural health clinics or emergency medical service providers, where they exist,

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy



health agencies, but also in other public, private and nonprofit organizations and agencies concerned with the public's health⁷. These agencies and organizations in rural areas encompass more diverse professions not usually considered part of the traditional public health workforce, including: Head Start personnel, school nurses, zoning and planning personnel, community health center staff, community hospital workers, veterinarians, dentists, social workers, tribal council members, long-term care workers, home health personnel, Agency on Aging staff, community action group members, Cooperative Extension personnel, and church members and employees⁸.

Rural communities may differ significantly across geographic regions and even within the same region. This diversity of rural communities necessitates local solutions to local challenges8. Increasingly, systems approaches that improve community relationships, strengthen social networks and expand connectivity are being used to increase community planning efforts and strengthen public health capacity, which ultimately lead to community collaboration, planning, action and improved health status through sustainable community efforts. The 2002 edition of the Institute of Medicine report calls for a renewed exploration and strengthening of partnerships with the local medical community, voluntary services community, media, businesses and industry, and academic institutions necessary to have an active and robust public health system¹⁰. Consequently, it is imperative that the broader rural public health system collaborates locally toward a common goal of improving existing rural public health capacity and the health of rural residents.

The authors acknowledge that numerous models and approaches exist that engage and organize communities around community-identified problems and solutions. The purpose of this article is to: (i) suggest a strategy regularly used by the authors that encourages relationship building and serves as a catalyst for rural communities to work together to initiate and make changes based on the local assets and dynamics; (ii) provide a descriptive overview of this strategy; and (iii) provide an illustrative case in which this strategy has been used.

Background

The Texas A&M Health Science Center, School of Rural Public Health has pioneered a Rural Health Roundtable (RHR) strategy that has demonstrated effectiveness in engaging a target audience in a rural community or communities; identifying local strengths and resources, existing relationships and gaps within the current system; distinguishing the broader, non-traditional rural public health system and additional stakeholders; identifying and educating local decision-makers; and working together to address a specific rural health issue. This strategy has been used successfully in a number of venues to elicit a wide variety of outcomes including improving local emergency preparedness, bioterrorism and pandemic influenza planning; developing networks of interested health professionals working in the HIV/AIDS arena; initiating local capacity building processes; facilitating dialog to identify local resources and access issues; and identifying coalition building, obesity prevention and rural disaster planning best practices and success stories. Figure 1 provides an RHR graphical overview, illustrating stakeholders and outcomes for rural community emergency planning.

The purpose of the RHR is to engage local stakeholders in a face-to-face discussion about a particular public health issue. This informal, facilitated discussion endeavors to create a local network between the participants and is neither a needs assessment nor a focus group. The Roundtable strategy lends itself to replication and application in rural communities for various public health issues.



The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy




Figure 1: Rural community emergency planning using the Rural Health Roundtable strategy.

The illustrative case for using this strategy will be provided around rural community emergency planning. Given the lack of formal public health infrastructure, rural communities are dependent on non-traditional partners and volunteers in preparedness planning and response. According to Nelson, Lurie, Wasserman, & Zakowski, 'responsibility for the preparedness of the nation's communities lies not only with governmental agencies but also with active, engaged, and mobilized community residents, businesses, and nongovernmental organizations' or the broader public health system^{11 (p.S9)}.

Methods

The subsequent methodology for the RHR planning process is not chronological in nature; planning occurs concurrently.

Topic and target questions

A specific, relevant public health topic is identified for the roundtable discussion. Pre-determined, discussionstimulating questions are used to guide the discussion. Although the discussion will differ according to each group, these questions are interrelated to ensure redirection of straying discussions. The discussion questions are designed to:

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

- identify local strengths and assets (local resources)
- identify existing working relationships and partnerships
- identify what is currently in place regarding the topic
- identify best practices or success stories
- identify gaps or holes in existing system or services regarding the topic
- identify training, learning and skill needs of stakeholders to enhance local capability and participants' preferred methods for learning
- identify the extended public health network and who else should be at the table regarding the topic
- collectively identify one focus issue (pick low hanging fruit) which can be addressed and develop a plan of action to allow multidisciplinary collaboration
- identify three activities that each participant would like to accomplish in their community within the next month.

Audience identification

Because the broader public health system is needed to supplement public health and healthcare services in rural populations, it is necessary to identify appropriate stakeholder categories. The stakeholder categories include those disciplines within the broader public health network that are involved in providing services or are responsible for the public health topic of interest. Stakeholder categories will vary depending on the health topic. Within the community or communities participating in the RHR, individual stakeholders are selected, by name, to take part in the Roundtable discussion. Various resources and local, regional and state contacts are utilized to identify individual stakeholders. It is preferable that a central location within the community or among communities is selected to convene the Roundtable for convenience, as well as being a neutral site that encourages participants to share openly. Before selecting a date, it is helpful to contact key community stakeholders to ensure no conflicting meetings or activities are scheduled for tentative dates.

'Cold calls' are made by telephone to potential participants to explain that the RHR is a two-hour, facilitated discussion, typically held over lunch; to extend an invitation to participate in the Roundtable; to determine their interest; and to receive referrals of other local stakeholders who should be invited to attend. Attempts are made to obtain a balance in the representatives present, so the Roundtable discussion is not too heavily weighted for any one discipline, community or organization.

Ensuring attendance

After contacting potential participants by telephone, formal invitations are mailed to those indicating interest, with a request to RSVP. Including a map and directions to the RHR site is helpful. All stakeholders who were previously mailed an invitation are phoned again prior to the Roundtable to confirm their attendance and to obtain a lunch order. This call further encourages their attendance because the participant has made a 'commitment' to a meal that will be ordered specifically for them.

Rural health roundtable discussion

On the day of the Roundtable, stakeholders arrive at the site, sign-in, fill out a contact information form and pick up their lunch. Approximately 15 min are allowed for participants to get settled, begin eating and converse with other participants. This creates an informal, social environment and helps encourage open dialogue and discussion once the Roundtable begins. The facilitator extends a welcome, describes the purpose of the RHR and invites participants to make self-introductions. The dialogue begins with the facilitator asking the target questions to guide the discussion. An individual other than the facilitator records detailed, hand-written notes.

On conclusion, participants are told the information they discussed will be used for local planning and incorporated into materials or upcoming events hosted for them by the facilitating organization. To promote collaboration and problem solving using existing assets, the group collectively



The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

identifies a local issue and develops a plan of action to address this issue. Following the Roundtable, all participants are instructed to complete a process evaluation to provide the facilitating organization with feedback and recommendations and to learn of three activities participants would like to accomplish in their communities within the months following the Roundtable.

Follow up

Communication: It is imperative that the facilitating organization continue communication with the RHR participants and nurture the relationships once the RHR has concluded. The facilitating organization can maintain contact by offering current information and resources, opportunities for collaboration, technical assistance and notification of upcoming events, such as continuing educational activities. Continuing education opportunities may include those offered by the facilitating organization or other activities available throughout the region or state. Continuing education activities and other events can be used as tools to connect rural stakeholders throughout the state or region who have similar interests. These activities and events provide additional opportunities for stakeholders to work together and continue to expand their existing network.

Evaluation: A follow-up evaluation may be conducted to identify and assess changes made in the community to ameliorate the selected public health issue. Detailed, specific notes taken at the Roundtable reflect the qualitative information conveyed by the participants. Notes are compiled and arranged by topic, extricating common themes, proposed participant solutions to address concerns or gaps, and best practices or success stories. This information establishes baseline data that can be compared with data collected during a follow-up evaluation or Roundtable discussion.

The baseline data is used to identify and assess change that occurred between the initial roundtable discussion and follow up. Evaluation measures include:

- Are more and different strengths and assets identified?
- Are relationships stronger? Are networks denser?
- Are communities improving, expanding, and/ or creating new best practices?
- Are communities resolving the gaps or holes indicated at the initial Roundtable discussion?
- Are learning and skill needs being met? Have stakeholders sought out and attended educational and skill building activities?
- Are necessary stakeholders involved who were not previously involved? Did the larger group of stakeholders become part of the broader public health network?
- What progress has been made in the three activities identified individually?
- What advancements have been made in the one area collectively identified by the group?
- Has the group held additional meetings, developed a coalition, hosted community activities etc to address the public health issue?

Results

The RHR strategy can result in short-term, intermediate and long-term outcomes using various evaluation tools, such as process evaluations and qualitative comparisons based on the roundtable discussions. While no formal quantitative evaluations have been conducted for this methodology to attest to its effectiveness in impacting the long-term health of participating communities, future plans exist to quantify existing qualitative data and to conduct social network analyses to graphically illustrate increases in network or partnership development.

Short-term outcomes

One short-term outcome of the Roundtable process is an information exchange among community stakeholders. The discussion results in the sharing of current activities and efforts, resources available locally or regionally, and gaps in

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy



community planning and in the broader public health system. The Roundtable discussion reflects the services, responsibilities and existing issues of attending organizations and agencies, as well as the collective assets available to promote partnerships and collaboration, and makes changes based on the issues discussed. The Roundtable generates qualitative summaries of the discussion, with common themes, proposed participant solutions, lessons learned and best practices or success stories. The Roundtable discloses and provides suggestions for issues in which the community or communities are contending and initiates further discussions, activities or the development of resources to accurately reflect comments.

Roundtables can also serve as a forum to promote educational and training opportunities. There is a general consensus that rural public health workers lack formal training in the concepts and principles of public health. According to the Center for Disease Control's Public Health's Infrastructure report, 78% of local health department personnel did not graduate with public health degrees¹². Reaching out to these rural stakeholders, through the RHR, and notifying them of and encouraging participation in continuing education opportunities, results in a better educated and trained rural public health workforce and increased knowledge, skills and abilities to manage public health issues. Further, the Roundtables serve as an opportunity to reach out to the expanded, non-traditional rural public health system to increase their awareness and knowledge of public health issues.

Intermediate outcomes

The intermediate outcomes of the Roundtable discussion include it serving as a catalyst to build stakeholder networks in rural communities, facilitating a broader and more inclusive ongoing dialogue, and enhancing communication to evolve the local network that will continue once the facilitating organization leaves. Local groups are empowered to take ownership, plan and problem solve with existing assets. Roundtable participants begin making actual changes in their community, such as seeking out information, holding meetings, developing coalitions, hosting community activities and involving other stakeholders to address the public health issue.


Long term

While smaller communities have limited resources available, rural community stakeholders consistently indicate that their single greatest local resource is the people in the community. Based on the issues discussed, stakeholders begin working together as team to initiate changes that can impact on the long-term health of their community. Follow-up evaluations and assessments can determine the effectiveness of the Roundtable methodology and subsequent community activities and efforts by identifying and measuring both process and outcome changes that occur over time.

Illustrative case

The Rural Ready Communities (RRC) project was created to help ensure that community health centers, rural health clinics and emergency medical service providers in nonhospital Texas counties have an emergency plan that can be integrated with other local planning efforts. During the project period there were 65 counties in Texas without a hospital. Figure 2 shows the counties in Texas without hospitals and the type of health system provider within those counties. Twelve RHR were convened with broad groups of local stakeholders to form networks for integrated planning, to identify and share rural emergency planning common themes and best practices, and to develop an emergency planning guide, based on these discussions, for rural healthcare systems. While the focus of this article is on the Roundtable strategy, the RRC project also included development of the rural community emergency planning guide, an advisory committee to provide project guidance and support, and a year-end statewide workshop to introduce and instruct participants using the planning guide.

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy



Source: Office of the State Epidemiologist

Figure 2: Texas Counties without hospitals.

Short-term outcomes

The total attendance for the RHR in the RRC project was 215 attendees from 59 Texas counties with an average of 17.9 attendees per roundtable. Table 1 illustrates the variety of RHR stakeholder attendee categories involved in improving rural community emergency preparedness planning. The RHRs generated qualitative summaries of the discussion, with common themes, proposed participant solutions, lessons learned and best practices or success stories. These thematic categories included volunteers; funding; communications, both between first responders and

other rescue workers and with the public; resources; training; partnerships and mutual aid agreements; community education and awareness; interface between health and emergency personnel/ systems; and liability. Table 2 further conveys the RHR discussions in terms of the common themes, proposed participant solutions and best practices identified, but this listing is by no means comprehensive. For the purposes of this article, best practices are loosely defined as participant-identified activities or methods that were successful in their community. The information provided by RHR participants enabled the creation of a rural emergency planning guidance document.

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

Table 1: Disciplines represented at Rural Health Roundtables for the Rural Ready Communities Project

Local health authorities	School principals
County judges	School nurses
City council members	• Local health departments
Mayors	Public health nurses
County commissioners	Jail/ Prison Administrators
Emergency management coordinators	• Funeral home directors
Public works	Clinic directors/ administrators
Utilities representatives	Home health agencies
• Local health professionals (registered nurses, dentists,	• Faith community representatives
physician assistants, nurse practitioners)	Chamber of Commerce representatives
Pharmacists	Local voluntary organizations
Veterinarians	Cooperative extension agencies
State game wardens	• Justices of the Peace
• Sheriff, police, public safety departments and other law	Airport representatives
enforcement officials	Nursing home administrators
Emergency medical services	Councils of Government
• Fire chiefs/ fire marshalls	• Local businesses (large and small)
Department of transportation	• Representatives from high risk settings (nuclear facility)
School superintendents	CERT Program coordinators

Table 2: Rural Health Roundtables: common themes, proposed participant solutions and best practices

Торіс	Discussion/comments	Solutions	Best practices
Volunteers	Heavy reliance on volunteers to perform first responder roles.	Develop a list of potential volunteers.	Recruited retired nurses from surrounding urban communities.
	Volunteers are often full-time employees.	Recruit 'non-typical' volunteers for non-health- related tasks.	Provided incentives to retired volunteers, such as CNEs.
	The volunteer base is small and		Used the Retired Senior Volunteer
	redundant.	Be flexible in assigning tasks to volunteers.	Program (RSVP) to recruit volunteers.
	Volunteers need training prior to		Geared volunteer responsibilities to
	an event.	Keep volunteers enthused with periodic meetings and	interests and time constraints.
	Fear for foreign-born volunteers' safety due to potential distrust	trainings.	Teamed 3-4 non-professional volunteers with one paid professional.
	and retaliation after a terrorist	Share job responsibilities	
	event.	among volunteers to prevent burnout.	Utilized the Ministerial Alliance to recruit volunteers from churches.
			Recruited and trained high school students.

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

Table 2: cont'd

Торіс	Discussion/comments	Solutions	Best practices
Funding	Local governments don't have	Funding process needs to be	The Rural Volunteer Fire Department
	resources for unfunded	streamlined so that money does	Assistance Program provided materiel to
	mandates.	not run out before it reaches	local jurisdictions through a cost-sharing
	Rural areas do not have the	rural areas.	program.
	personnel available to write and	Money should be 'dual-	The USDA Rural Community
	submit grant applications.	purpose' to build rural health	Development Initiative provides a
	sublint grunt approactoris.	infrastructure.	collective grant resource.
	Rural areas may not qualify for		
	funding because of population	Clear, written guidelines	
	size, limited infrastructure or	should be provided to locals on	
	matching fund requirements.	how money can be used.	
	Local funding through donations	Develop a grants reference list	
	may have been tapped out.	to help locals identify available	
	- 11	funding sources.	
	Governmental restrictions on		
	spending may keep locals from		
	purchasing needed but unapproved resources.		
	unapproved resources.		
	State and federal entities do not		
	know rural needs.		
	Rural areas have fewer resources		
0	from which to draw.		
Communications	Cell phones do not work in many rural areas.	Ring church bells to notify the public of an incident.	Locals work with Regional Councils of Government on interoperability plans to
	Turar areas.	public of all incident.	improve communications and provide
	Purchase of satellite phones may	Use a microphone or	common channels for jurisdictions
	be cost-prohibitive for many	megaphone to direct the public.	throughout the state.
	rural jurisdictions.		
		Establish a First Call	Quarterly meetings are held to bring all the
	There are no or few media	Interactive Network (Reverse	'players' together for planning and to test
	channels in rural areas.	911).	the Reverse 911 system.
	Many rural residents do not have	Prepare in advance clear,	Communications are streamlined by
	access to local media services.	accurate, culturally appropriate,	housing all first responder services in the
		multilingual information.	same building using the same radio
		Keen the manager and its i	system.
		Keep the message consistent.	Distribution of equipment throughout
			several locations in a community
			prevented a total shut-down of the
			infrastructure after tornado damage.
			Pre-identification of special populations
			has helped develop appropriate communication strategies during an event.
			communication strategies during an event.
			A response to a false alarm provided an
			opportunity to test communication
			channels and modify protocols based upon
			lessons learned.



The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

Table 2: cont'd

Торіс	Discussion/comments	Solutions	Best practices
Resources	Rural areas have limited resources.	Utilize non-traditional professionals if a mass	The greatest resource in a rural area is the community itself.
	There is a concern about the response times when relying on mutual aid agreements with surrounding counties. Rural areas rely heavily upon local and regional resources. Morgue capacity in rural areas is a major concern; many communities do not have a funeral home.	 inoculation is necessary. A number of existing groups found in rural areas can be used as sources for personnel and resources. Public schools can provide school buses for mass evacuation. Texas Forest Service and Public Works can provide 	The Texas Funeral Directors and Morticians Association provide refrigerated mobile trucks for mass casualties. The Office of Rural Community Affairs (ORCA) funded defibrillators and resuscitation equipment and training to rural areas.
	Disposal of large numbers of animal carcasses is a concern in	heavy equipment. All emergency plans within the	emergency plans and exercise them regularly.
	rural communities.	county should be 'in the same language' and consistent.	Volunteer Weather Watchers are an important resource during some emergencies.
		Designate one central location for mass vaccination and dispensing. Involve all key stakeholders in	A central location was designated in the community as a meeting place during an emergency.
		School nurses are an important resource in rural areas.	The high school football field has been designated a temporary morgue.
Training	Training updates need to be provided to all volunteer groups.	Conduct multidisciplinary tabletop exercises.	Some rural areas have effectively used the Community Emergency Response Team (CERT) Program to recruit and train volunteers.
			Funeral home directors have begun to meet locally for training instead of commuting to urban areas.
			Training opportunities were leveraged by participating in trainings conducted in urban areas.
			Associations such as the Texas Veterinary Medical Association provided training on agroterrorism.
			Crisis Management Training offered to school personnel was attended by other members of the response community.

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy



Table 2: cont'd

Торіс	Discussion/comments	Solutions	Best practices
Partnerships/ mutual aid	The plans for various entities have not been integrated. There is concern about cooperation and collaboration among responding agencies from other jurisdictions. Individual responders do not always understand how mutual aid agreements function.	Networking with all key stakeholders is essential to improved collaboration. Most counties have mutual aid agreements at the county, regional and state levels. Engage state representatives about rural issues and needs. Mandate certain agencies to partner as a requirement for funding. Get local elected officials involved in the planning process. Exercise and revise the emergency plan more than once a year. Rural areas have specific issues; rural counties should meet together periodically to leverage resources and discuss common areas of interest. Suggest creating regional or multi-county Emergency Management Coordinators who could foster collaboration and decrease duplication of resources.	Dest practices The Disaster District Committee, a part of the State Emergency Management System, has been very effective in coordinating the activities of response agencies. Some counties have agreements with urban medical centers to use air ambulances. Meetings that include the volunteer workforce are scheduled in the evening. Each county resident is levied a fee to cover the cost of air evacuation for anyone in that county. Exercises that required interagency collaboration identified several communication problems. Flyers were continually disseminated to all key stakeholders to keep involvement high.
		An animal evacuation plan is essential in rural areas.	
Community education/ awareness	There is concern about how to convince the public to react when a rapid response is needed.	Schools could play a big part in the education of children and parents.	Surveys to determine the community's health and emergency training needs were distributed to citizens and businesses in a rural area.
	Schools have emergency plans, but are concerned about parents that panic.	It is important to use multiple methods when educating the public.	A coalition, convened because of concern about arsenic in the drinking water, spurred the State Health Department to act.

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy



Table 2: cont'd

Торіс	Discussion/comments	Solutions	Best practices
Health/	There is a healthcare personnel	Local clinics can be designated	A Planned Parenthood group offered
emergency	shortage in rural areas.	as a triage area during a	care/vaccinations to all citizens in a rural
interface		disaster.	county.
	Although clinics are viewed as		
	an asset, clinic personnel are not	Telemedicine is available in	
	included in the planning process.	many clinics and prisons and	
	T 11 141 1	might be used during an	
	Local healthcare personnel are	emergency event.	
	not involved in the development or exercise of County Emergency	Major hospitals could activate	
	Plans.	mobile teams to provide care in	
		rural areas.	
		Turur areas.	
	There is a lack of healthcare	Urgent care and minor care	
	resources.	emergency clinics established	
		in rural areas would relieve	
	Ambulance service does not exist	urban emergency rooms and	
	in all counties.	could function as a triage	
		facility during an emergency.	
	Funding should be used to build		
	infrastructure; it should not be		
	limited to a possible emergency		
	response.		
Liability	There is concern about the		
	liability issues for healthcare		
	personnel who respond to an		
	emergency.		
	Concerns about liability		
	discourage medical personnel		
	from volunteering.		

CNEs, Continuing nursing education; USDA, United States Department of Agriculture.

Because there is a general consensus that rural public health workers lack formal training in the concepts and principles of public health, the Roundtables also served as a forum to promote educational and training opportunities. The Roundtable was used as an opportunity to increase the awareness and knowledge of public health issues within the broader rural public health system, and to promote the statewide conference that would introduce and explain use of the planning guide.

Intermediate outcomes

In an attempt to learn more about the impact of RHRs in the RRC project, an evaluation tool to measure intermediate

outcomes was created and mailed to 178 RHR participants, 7–9 months subsequent to the RHRs. Ninety-two evaluations were returned, a response rate of 51.7%. The evaluation was conducted to learn about the perceived benefits of RHRs and the types of activities in which Roundtable participants had engaged after the Roundtables. Eighty-five percent of the Roundtable participants perceived the RHR as having longterm benefits for their community and/ or organization. Roundtable participants indicated that the following took place as a result of participating in the RHRs:

• 65% met an individual at the Roundtable whom they had not previously known

The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

- 30% contacted an individual after the Roundtable to discuss emergency preparedness
- 53% met with others in their county
- 27% met with others in surrounding counties
- 28% held a collaborative meeting to discuss emergency preparedness and response
- 23% practiced their plan using a drill or tabletop exercise
- 49% participated in local planning activities
- 37% raised community awareness or provided emergency preparedness public education
- 14% held education and/ or training activities
- 37% attended other trainings, conferences or emergency preparedness related events
- 29% increased community involvement
- 54% shared information within their county
- 33% shared information among other counties
- 39% involved other organizations, agencies, or individuals in planning
- 39% involved clinics or emergency medical services in their county in the planning process
- 20% entered into Mutual Aid Agreements with other counties, organizations, and/ or agencies
- 11% formed a coalition for rural community emergency planning
- 24% inventoried emergency and health provider resources in their county
- 34% inventoried emergency equipment, supplies, or other items
- 19% purchased items/ equipment to assist in emergency planning or response
- 28% sought out healthcare resources available in their county
- 32% increased volunteer participation
- 27% addressed a specific topic(s) of concern.

Discussion

The RHR, using the methodology discussed above, has demonstrated its value as an effective tool in working with rural communities. Initiated in 1999, the methodology has been refined and enhanced over the past 8 years to more effectively reach stakeholders, ensure attendance and participation, promote sharing and discussions, build stakeholder networks and encourage continued communication and collaboration.

Rural community members are generally considered the communities' most valued asset. Through their close relationships, well-developed networks and shared experiences, rural residents bring a great deal of strength and resiliency to their communities. Because the community as a whole depends on each other for the common good, residents hold one another accountable and are willing to spend their free time helping the community through volunteer activities associated with community schools, churches, and service organizations.

Rural communities have fewer human and financial resources and residents cannot necessarily rely on, or have access to, public health and medical professionals to assume planning responsibilities. Using the RRC project as an illustrative case, rural community members must be the driving force in not only developing emergency response plans, but also in continually updating plans, tapping into existing planning structures, exercising plans and sustaining the interest and commitment of those involved. The accountability and interdependence mentioned previously helps facilitate and advance the planning processes. Many rural residents fill multiple roles through various volunteer and elected positions, serving on committees, and assisting in community projects. These shared associations may help facilitate better collaboration and cooperation among the segments of the community. Common membership in organizations such as parents teacher association/parent teacher organization, faith-based organizations and committees, athletic leagues, and civic organizations, encourages communication and the dissemination of information throughout the community. Key stakeholders, or those known for 'getting things done', are easily identified in rural communities and this designation carries with it a credibility that allows the key stakeholders to lead, delegate and/or accomplish necessary tasks.



The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

Members of rural communities are often required to be particularly creative when addressing emergency preparedness issues due to lack of local resources. With fewer resources at their disposal, rural communities have learned to identify and utilize their unique strengths to overcome resource deficits when responding to emergencies and natural disasters. Rural communities have coped effectively with disasters in the past and have used the lessons learned to prepare for the challenges of responding to new types of emergencies and public health threats.

Limitations

Several limitations exist for this strategy. There are geographic limitations in that this strategy has only been utilized in rural communities in Texas, South Dakota and Maine, USA. Efficacy depends on several other factors, including consistencies in methodology and staffing, characteristics of participating community stakeholders, continued communication and readiness of communities to address specific public health issues. No formal quantitative evaluations have been conducted for this strategy to attest to its effectiveness in impacting the long-term health of participating communities. Initial qualitative results indicate an expansion of local networks, improved collaborative planning and increased community activities, efforts and information sharing. Additionally, the RRC project was funded by the Texas Department of State Health Services (DSHS) Hospital Preparedness Program. However, during this time period, Centers for Disease Control and Prevention Public Health Preparedness and Department of Homeland Security funding were also available at the state, regional and/or local levels. The resulting activities cannot necessarily be attributed solely to this project and participation in the RHRs.

Conclusion

Through the RHRs, rural residents gained an understanding of the vital role of community members in planning and response efforts; the importance of collaborative, multidisciplinary planning and response procedures and practices; and the existence of shared strengths and resources to enable the protection of life and property. Ultimately, it is a community effort with community-wide involvement that will enable rural areas to successfully face the challenges of planning for and responding to all public health emergencies.

It will be the responsibility of public health professionals to effectively shape the programs and policies needed to improve population health during the coming century¹⁰, which should occur at the federal, state and local levels. The Roundtable brings together the broader, non-traditional rural public health system in face-to-face discussions to jointly identify and address local public health issues and the local dynamics that affect these issues. Rural Health Roundtables can create linkages among rural stakeholders, as well as between rural community and other local, regional and state planning efforts, activities and resources. It serves as a catalyst of change for communities to improve their health, to prepare them for the unknown, and to strengthen or create networking among neighboring communities. The RHR strategy has significant potential for replication and application to all areas of rural public health.

Acknowledgements

Funding for the Rural Ready Communities project was provided by the Texas DSHS. Special thanks to the DSHS Hospital Preparedness Program and the Texas Health Institute (formerly the Texas Institute for Health Policy Research) for their collaboration on this project.

References

1. US Department of Health and Human Services. *Healthy People* 2010, 2nd edn; vol II. Washington, DC: US Government Printing Office, 2000.



The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy

2. National Advisory Committee on Rural Health. *Rural Public Health: Issues and Considerations: A Report to the secretary, US Department of the Health and Human Services.* National Advisory Committee on Rural Health, 2000.

3. US Census Bureau. *US Census Bureau home page*. (Online) 2000. Available: www.census.gov (Accessed 13 November 2008).

4. Institute of Medicine. *The Future of Public Health.* Washington, DC: National Academies Press, 1988.

5. Ricketts TC. *Rural health in the United States*. New York: Oxford University Press, 1999.

6. Hajat A, Stewart K, Hayes K. The local public health workforce in rural communities. *Journal of Public Health Management Practice* 2003; **9(6):** 481–488.

7. Quiram B, Meit M, Carpender K, Pennel C, Castillo G, Duchicela D. Rural public health infrastructure: a literature review. In: L Gamm, L Hutchison (Eds). *Rural Healthy People 2010: A companion document to Healthy People 2010*, vol 3. (Online) 2005. Available: http://www.srph.tamhsc.edu/centers/rhp2010/Volume_3/ Vol3Ch5OV.pdf (Accessed 14 November 2008). College Station, TX: The Texas A&M University System Health Science Center, School of Rural Public Health, Southwest Rural Health Research Center, 2008. 8. University of Pittsburgh, Center for Rural Health Practice. *Bridging the health divide: the rural public health research agenda.* (Online) 2004. Available: http://www.upb.pitt.edu/uploadedFiles/About/Sponsored_Programs/Center_for_Rural_Health_Practice/Bridging%20the%20Health%20Divide.pdf (Accessed 14 November 2008).

9. Health Resources and Services Administration (US). *The public health work force enumeration 2000*. New York: Center for Health Policy, Columbia University School of Nursing, 2000.

10. Institute of Medicine. *The future of the public's health in the 21st century*. Washington, DC: National Academies Press, 2002.
11. Nelson C, Lurie N, Wasserman J, Zakowski S. Conceptualizing and defining public health emergency preparedness. *American Journal of Public Health* 2007; **97:** S9-S11.

12. Center for Disease Control and Prevention. *Public health's infrastructure: every health department fully prepared; every community better protected, a status report.* (Online) 2001. Available: http://www.uic.edu/sph/prepare/courses/ph410/ resources/phinfrastructure.pdf (Accessed 14 November 2008).

